

# Kamdhenu

An ISO  
9001-2000  
Certified Company



Cotton Handling



Fork Bucket



Bale Bucket



**PRODUCT YOU CAN DEPEND ON**

[www.kamdhenueengineering.com](http://www.kamdhenueengineering.com)

## COTTON LOADER ATTACHMENT



Cotton Bucket



Fork Bucket



Bale Bucket

We  
Believe in  
Quality

### SALIENT FEATURES

- Heavy Duty Loader.
- Low Running Cost
- Sturdy And Elegant Construction
- Short Turning Radius
- Easily Availability of spare at very low cost
- Z section construction for easy operation
- Attachment can be installed at customer's site

### LOADER SPECIFICATION

Lift Height	Upto 15 Ft.
Working Depth	150 mm
Loader Lifting Capacity	1000 Kg.
From Ground to Max Height	12 Sec.
Unloading	6 Sec.

## KAMDHENU ENGINEERING COMPANY

II-40, Industrial Area, MIDC, Ambad, Nashik-422010. (Maharashtra) INDIA  
Ph. : 0253-2380085, Fax. : 0253-3042085, Mob. : 9822297440  
E-mail : kamdhenu\_engg@rediffmail.com  
Website : www.kamdhenueengineering.com

# Kamdhenu

## TRACTOR MOUNTED FRONT END LOADER



### APPLICATIONS

Kamdhenu tractor mounted front end loader attachment is versatile which is utilized for handling various types of materials like ash, soil, limestone, boulders, cements, rock, phosphate, baggasse, coal, sand, scaps, compostpits, gypsum, municipal refuse, garbage's, rubber etc. & loading and unloading into trucks, dumpers, wagons, hoppers.

It can be used at stone-quarry and crushers, road construction sites, various types of mines, asphalt, plants, thermal power stations, coal field, salt field, paper mills, cement plants, fertilizers plants, municipal corporations, suger factories, building projects and ideal for any kind of waste handling.



**We Believe in  
Quality Product &  
Prompt Service.**



### TECHNICAL SPECIFICATIONS :

Bucket Capacities : 0.5 Cu. M.  
Payload : 800 kgs. To 1000 kgs.  
Dumping Height : Upto 3.2 meters.  
Output Per Hrs. (approx) : 30 Cu. M. To 50 Cu. M

### HYDRAULIC SYSTEM CONSISTS OF :

Hydraulic pump is directly coupled to engine crank pulley, which feeds loader.  
Lifting & tilting cylinders; all heavy duty, double acting and hard chromed plated rods with special oil seals.  
Multiple unit double acting directional control valve with pressure relief valve  
Hydraulic oil tank with return line filter, oil level indicator, air breather, suction strainer are also provided.

### KAMDHENU ENGG. CO

Office : Shrikrishna Niwas, Veer Savarkar Nagar, Jail Road, Nashik Road,  
Nashik - 422 101. (Maharashtra) Ph.: (0253) 2412553.

Factory : H-40, Industrial Area, Ambad, MIDC, Nashik. (Maharashtra)  
Ph.: 0253 - 2380085, 5611935 E-mail : kamdhenu\_engg@rediffmail.com

Note : We reserve the right to change the specification without notice.